Protocols
IV Therapy for Chronic Disease and Infections

Virginia Osborne ND, Brenden Cochran, ND and Shawna Kiker, ND

2022– Advanced IV Therapies

© IIVNTP 2022

1

Immune I.V. push

Nutrient	mg/mL	mL	mOsm/mL	mOsm*vol
1. Magnesium chloride, 20%	200	6	2.95	17.70
2. Calcium chloride, 10%	100	1	2..04	2.04
3. Selenium	200 mcg	2	0.0014	0.0028
4. Pyridoxine	100	1	1.46	1.46
5. Dexpanthenol	250	1	1.22	1.22
6. Hydroxycobalamin	1	1	0.31	0.31
7. B-Complex 100	*	1	2.04	2.04
8. Ascorbic acid	500	4	5.94	23.76
9. SWI USP		43	0	0
Totals:		**60**		**48.25**

Use 60 mL syringe

***B-Complex 100:**Thiamine HCl 100 mg/ml, Riboflavin-5-PO_4 2 mg/ml, Pyridoxine HCl 2 mg/ml, Dexpanthenol 2 mg/ml, Niacinamide100 mg/ml

Est. Treatment time: 20-30 minutes **Desired push rate: 1 ml every 20-30 seconds**

Final osmolarity: 804 mOsm/L **Administer with 23g Butterfly set**

(c) IIVNTP 2022

2

Rx: Basic Immune
Total Volume: 290 mL **Osmolarity: 531 mOsm/L**

	250 mL	Sterile Water		1 mL	Zinc sulfate (10 mg)
	20 mL	C-500 (10 grams)		3 mL	B-100 Complex
	4 mL	Magnesium Chloride (7.88 mEq)		5 ml	8.4% Na Bicarbonate
	2 ml	Calcium Chloride (2.72 mEq)		1.1 ml	Engystol
	1 ml	Potassium Chloride (2 mEq)		1 ml	Selenium (200 mcg)

1:500 ml HCL push ___ 5ml ____ 10 ml

Infusion Time: 30-45 minutes

(c) IIVNTP 2022

3

Multivitamin and Mineral

Nutrient	mg/mL	mL	mOsm/mL	mOsm*vol
1. Calcium chloride, 10%	100	4	2.04	8.08
2. Magnesium chloride, 20%	200	6	2.95	17.7
3.Potassium Chloride	2 mEq	10	4.0	40.0
4. Selenium	200 mcg	1	0.0014	0.0014
5. MTE-4	*	2	0.13	0.26
6. Molybdenum	25 mcg	5	0.80	4.0
7. Germanium sesquioxide	100	4	1.29	5.16
8. Dexpanthenol	250	1	1.22	1.22
9. Pyridoxine	100	1	1.46	1.46
10. Hydroxocobalamin	1	2	0.31	0.62
11. B-complex 100	**	2	2.04	4.08
12. Folinic Acid	10	1	0.33	0.33
13. 0.45% Saline		300	0.155	46.5
Totals:		**345**		**130**

***B-Complex 100:**Thiamine HCl 100 mg/ml, Riboflavin-5-PO_4 2 mg/ml, Pyridoxine HCl 2 mg/ml, Dexpanthenol 2 mg/ml, Niacinamide100 mg/ml

Est. Treatment time: 2 hours **Desired drip rate: 4 mL/min**
Final osmolarity: 377 mOsm/L

(c) IIVNTP 2022

4

Tissue and Wound Healing

Nutrient	mg/mL	mL	mOsm/mL	mOsm*vol
1. Selenium	200 mcg	2	0.0014	0.0028
2. Zinc chloride	10	1	0.18	0.36
3. Magnesium chloride	200	6	2.04	12.24
4. Dexpanthenol	250	2	1.22	2.44
5. Pyridoxine	100	2	1.46	2.92
6. B-complex 100		2	1.44	2.88
7. Ascorbic acid	500	10	5.94	59.4
8. Proline	50	5	0.43	2.15
9. Glycine	50	3	.60	1.8
10. Taurine	50	5	0.53	2.65
11. 0.45% Saline		250	0.16	40.0
Totals:		**286**		**130**

***B-Complex 100:**Thiamine HCl 100 mg/ml, Riboflavin-5-PO_4 2 mg/ml, Pyridoxine HCl 2 mg/ml, Dexpanthenol 2 mg/ml, Niacinamide100 mg/ml

Est. Treatment time: 1-1.5 hours **Desired drip rate: 4-5 mL/min**
Final osmolarity: 452 mOsm/L

****CAN FOLLOW WITH 2 - 4 GRAMS GSH IN 30 - 100 ML NS**

(c) IIVNTP 2022

5

Cachexia-Malnutrition

Nutrient	mg/mL	mL	mOsm/mL	mOsm*vol
1. Calcium chloride, 10%	100	13	2.04	26.52
2. Magnesium chloride, 20%	200	6	2.95	17.70
3. Selenium	200 mcg	2	0.0014	0.0028
4. Potassium chloride	2 mEq	10	4.0	40
5. Zinc sulfate	10	1	0.18	0.18
6. Manganese	0.1	5	0.01	0.05
7. Molybdenum	25 mcg	4	0.8	3.2
8. Pyridoxine	100	3	1.46	4.38
9. Dexpanthenol	250	2	1.22	2.44
10. Hydroxocobalamin	1	3	0.31	0.93
11. B-complex 100	*	3	2.04	6.12
12. Plenamine 15%	15%	85	1.38	117
13. Sterile Water for injection		400	0	0
Totals:		**567**		**218.78**

***B-Complex 100:**Thiamine HCl 100 mg/ml, Riboflavin-5-PO_4 2 mg/ml, Pyridoxine HCl 2 mg/ml, Dexpanthenol 2 mg/ml, Niacinamide100 mg/ml

Est. Treatment time: 1.5-2.5 hours **Desired drip rate: 4-6 mL/min**
Final osmolarity: 385 mOsm/L

(c) IIVNTP 2022

6

Rx: Mast Cell Support
Total Volume: 285-288 mL **Osmolarity: 531 mOsm/L**

	250 mL	Sterile Water			
	20 mL	C-500 (10 grams)		5 mL	Dexpanthenol (250 mg/ml)
	2 mL	Magnesium Sulfate 500 mg/ml		5 ml	8.4% Na Bicarbonate
	1 ml	Calcium Gluconate 100 mg/ml		1 ml	Thiamin (100 mg/ml)
	1 ml	Potassium Chloride 2 mEg/ml		*1 ml	Hydroxocobalamin 5 mg/ml
	*1 ml	MTE-4		*1 ml	B complex

*Could consider 100-500 mg Quercetin infusion on the same day in different bag.

Infusion Time: 45-60 minutes
* = if tolerated slowly add to formula with each infusion

(c) IIVNTP 2022

7

Rx: Brain Inflammation Support
Total Volume: 305 mL **Osmolarity: 531 mOsm/L**

	250 mL	Sterile Water			
	20 mL	C-500 (10 grams)		5 mL	Dexpanthenol (250 mg/ml)
	4 mL	Magnesium Sulfate 500 mg/ml		5 ml	8.4% Na Bicarbonate
	1 ml	Calcium Gluconate 100 mg/ml		2 ml	Thiamin (100 mg/ml)
	1 ml	Potassium Chloride 2 mEg/ml		1 ml	Hydroxocobalamin 5 mg/ml
	5 ml	Glycine (50 mg/ml)		10 ml	Taurine (50 mg/ml)
	1 ml	B Complex			

FOLLOW WITH 2 - 4 GRAMS GSH IN 30 - 100 ML NS

----------Normal Saline Line flush of 20 ml----------

100-300 mg Curcumin in 250 ml Normal Saline

Infusion Time: 45-150 minutes

(c) IIVNTP 2022

8

Neurological Recovery Formula

	500 mL	Sterile Water for Infusion		10	Taurine (500 mg)
	50 mL	C-500 (25 Gram)			
	10	Calcium Gluconate (1 gram)			(May sub 3mL CaCl)
	4	Magnesium Sulfate (2 gram)			(May sub 10mL MgCl)
	2	Zinc Chloride or Sulfate (20 mg)			
	2	Selenium (400 mcg)			[OPTIONAL:]
	3	B-100		1 mL	Methyl B-12 (5 mg)
	2	B-5 (500mg)		1 mL	Folinic Acid
	2	B-6 (100mg)			
	25	8.4% Bicarbonate Na		*	(Omit in central line)
	4	L- Carnitine (500 mg/ml)			

****FOLLOW WITH 2 - 4 GRAMS GSH IN 30 - 100 ML NS**
Total Volume: 637 Ml - Osmolarity: 611 mOsm/L

Est. Treatment time: 2-3 hours

(c) IIVNTP 2022

9

Regarding IV Vitamin C:

- The Vitamin C IV's are in two major categories:
  - Those for general immune and antioxidant support
    - These IV's contain support nutrients, and occasionally are given with Glutathione
  - Those for purely oxidative purposes
    - These generally only have minerals to balance blood electrolytes, and are generally not given with glutathione or other nutrients on the same day.

(c) IIVNTP 2022

10

Vitamin C 15 grams

Nutrient	mg/mL	mL	mOsm/mL	mOsm*vol
1. Magnesium chloride	200	6	2.95	17.70
2. Calcium chloride	100	10	2.04	20.4
3. Selenium	40 mcg	10	0	0
4. Zinc Chloride	10	1	0.18	0.36
5. Sodium Bicarbonate	8.4%	15	2.0	30
6. L-Ascorbic Acid	500	30	5.94	178.2
7. 0.45% Saline		300	0.16	48
Totals:		**370**		**292**

Est. Treatment time: 1-1.5 hours **Desired drip rate: 4-6 mL/min**
Final osmolarity: 787 mOsm/L

(c) IIVNTP 2022

11

Vitamin C 25 grams with vitamin/mineral

Nutrient	mg/mL	mL	mOsm/mL	mOsm*vol
1. Magnesium chloride	200	6	2.95	17.70
2. Calcium chloride	100	2	2.04	4.08
3. Potassium chloride	2 meq	4	4.0	20
3. Zinc chloride	10	1	0.18	0.18
4. Selenium	200 mcg	2	0.0014	0.0028
5. Pyridoxine	100	2	1.46	2.92
6. Dexpanthenol	250	2	1.22	2.44
7. Hydroxocobalamin	1	2	0.31	0.62
8. B-Complex	**	2	2.04	4.08
9. L-Ascorbic Acid	500	50	5.94	297
10. SWI USP		425	0	0
Totals:		**474**		**349**

Est. Treatment time: 2 hours **Desired drip rate: 4 mL/min**
Final osmolarity: 699 mOsm/L

(c) IIVNTP 2022

12

Mega C Antiviral – Vitamin C 50 grams

Nutrient	mg/mL	mL	mOsm/mL	mOsm*vol
1. Calcium chloride, 10%	100	4	0.68	1.36
2. Magnesium chloride, 20%	200	10	2.95	17.7
3. Selenium	200 mcg	2	0.0014	0.0028
4. Lysine	100	2	1.29	2.58
5 Zinc chloride	10	1	0.18	0.18
6 Pyridoxine	100	2	1.46	2.92
7 Dexpanthenol	250	1	1.22	1.22
8 Hydroxocobalamin	1	2	0.31	0.62
9 B-complex 100	*	2	2.04	4.08
10. Sodium bicarbonate	8.5%	5	2.0	10.0
11. Ascorbic Acid	500	100	5.94	594
12. SWI USP		1000	0	0
Totals:		1128		**647.93**

Est. Treatment time: 3 hours **Desired drip rate: 4 mL/min**
Final osmolarity: 574 mOsm/L

Technical Notes:

1. **Ascorbic acid dose may be started at 25 grams and increased as the patient tolerates to the full 50 grams.**
2. **High doses of vitamin C may be soporific to some patients and may cause hypoglycemia! Encourage patients to drink water and have protein snacks during treatment.**
3. **Infections may benefit from 100mg of L-Threonine, 2ml, essential for thymus function. 5-10 ml thymus extract is useful for viral infections.**

(c) IIVNTP 2022

13

Dosing of IVC:

- "Low Dose" IVC
  - **<u>0.07 to 0.14 Grams per kilogram of body weight</u>**
  - Quality of Life in cancer and other illnesses
  - General immune and antioxidant support
    - These IV's contain support nutrients, and occasionally are given with Glutathione
- "High Dose – Oxidative" IVC
  - **<u>0.4 to 1.4 Grams per kilogram of body weight</u>**
  - Those for purely oxidative purposes
    - These generally only have minerals to balance blood electrolytes, and are generally not given with glutathione or other nutrients on the same day.

(c) IIVNTP 2022

14

Note:

- The following four IV Vitamin C formulas are used for oxidative therapies.
- The additional minerals have been adjusted and calculated to decrease any blood chemistry changes inherent in high dose IVC therapies and were derived through pre and post IVC blood chemistry analysis.
- The chloride form of the mineral additives is critical to this balance.

(c) IIVNTP 2022

15

Rx: 25 Gram IVC

	500 mL	SWI	
	50 mL	C-500 (25 grams)	
	1	Calcium Chloride (1.36 mEq)	
	2	Magnesium Chloride (3.94 mEq)	
	1	Potassium Chloride (2 mEq)	

Total Volume: 554 mL **Osmolarity: 545 mOsm/L**

Est. Treatment time: 1.5-2.5 hours

(c) IIVNTP 2022

16

Rx: 50 Gram IVC

500 mL	SWI
100 mL	C-500 (50 Grams)
3	Calcium Chloride (4.08 mEq)
5	Magnesium Chloride (9.85 mEq)
4	Potassium Chloride (8 mEq)

Total Volume: 612 mL Osmolarity: 1001 mOsm/L

Est. Treatment time: 2-3 hours

(c) IIVNTP 2022

17

Rx: 75 Gram IVC

750 mL	SWI
150 mL	C-500 (75 grams)
4	Calcium Chloride (5.44 mEq)
7	Magnesium Chloride (13.79 mEq)
6	Potassium Chloride (12 mEq)

Total Volume: 917 mL Osmolarity: 1006 mOsm/L

Est. Treatment time: 3-4 hours

(c) IIVNTP 2022

18

Rx: 100 Gram IVC

1000 mL	**SWI**
200 mL	**C-500 (100 Grams)**
5	**Calcium Chloride (6.8 mEq)**
10	**Magnesium Chloride (19.7 mEq)**
8	**Potassium Chloride (16 mEq)**

Total Volume: 1223 mL **Osmolarity: 1007 mOsm/L**

Est. Treatment time: 3-4 hours

(c) IIVNTP 2022

19

Technical notes: Apply to all HDIVC protocols

1. Calcium gluconate or chloride (1 Gram) may be given by IV push if patient shows signs of hypocalcemia.

1. Cancer patients: Give volume over next one to three hours. Generally not infused faster than ½ to 1 gram per minute.

1. HDIVC causes dehydration!

1. Encourage patients to drink water and have protein snacks during treatment.

1. Hydration IV may be required in some patients before and/or after HDIVC.

(c) IIVNTP 2022

20

Artesunate with IVC

CIRCLE:
ARTESUNATE DOSE: 60MG / 120MG / 180MG / 240MG
CARRIER: _____ ML NS D5W
INFUSION TIME: 10 15 20 30 MIN

Rx: 50 Gram IVC

	500 mL	SWI		
	100 mL	C-500 (50 Grams)		
	3	Calcium Chloride (4.08 mEq)		
	5	Magnesium Chloride (9.85 mEq)		
	4	Potassium Chloride (8 mEq)		

General dosing protocol is a test dose of 60 mg ART directly prior to 50-75 grams IVC (providing all IVC safety screening is met. Then the ART dose is escalated to 120 mg or more. For maximum ROS generation and support of the IVC the ART needs to be given prior to the IVC.

(c) IIVNTP 2022

21

Alpha Lipoic Acid (ALA)

Nutrient	mg/ml	mL	mOsm/ml	mOsm*vol
1. Lipoic Acid	100 mg	**		
2. D5W or 0.9% Saline		250		
Totals:		**270**		**104**

Est. Treatment time: 1.5-2 hours **Desired drip rate: 3-4 mL/min**
Final osmolarity: Approx. Iso-osmolar

Technical notes:
1.DO NOT add any other nutrients or injectables to this solution.
2.Cover the bottle/bag (B-Braun bag only) with foil during infusion. Lipoic acid photo-degrades.
3.The first treatment dose should be 40-100 mg
4.Lipoic acid may be increased to 300 mg with second treatment if the first IV is well tolerated.

(c) IIVNTP 2022

22

Lipoic-Mineral Complex (Poly-MVA)

Nutrient	mg/ml	mL	mOsm/ml	mOsm*vol
1. LAMC – Poly MVA		5 - 40		
2. D5W or 0.9% Saline		100 - 250		

Est. Treatment time: 0.5 – 1.5 hours **Desired drip rate: 3-4 mL/min**
Final osmolarity: Approx. Iso-osmolar

Technical notes:
1.DO NOT add any other nutrients or injectables to this solution.
2.Can be used in series with other nutrients
3.The first treatment dose should be 5 – 10 mL
4.LAMC may be increased to 40 mL with second treatment if the first IV is well tolerated.

(c) IIVNTP 2022

23

Phosphatidylcholine

Nutrient	mg/mL	mL	mOsm/mL	mOsm*vol
1. PTC	35-50 mg	**	0.3	
2. D5W 5% Dextrose in Water		250-500	0.25	
Totals:		----		____

Est. Treatment time: 1.5 hours **Desired drip rate: 3-4 mL/min**
Final osmolarity: Approx. Iso-osmolar

Technical notes:
1.This solution may be cloudy. Make sure PTC and D5W are both at room temperature before mixing, this will reduce the tendency to any cloudy precipitate
2.Glutathione should be diluted with an equal volume SWI USP and mixed well prior to push. **Start with 600 mg and increment dose to a maximum of 3600 mg.**
3.For cardiovascular, liver and neurologic disease use the schedule below.
Treatment No 1: 10 mL PTC
Treatment No 2: 17.5 mL PTC
Treatment No 3-20: 25 mL PTC

(c) IIVNTP 2022

24

Hydrogen Peroxide

Nutrient	mg/mL	mL	mOsm/mL	mOsm*vol
1. Magnesium chloride	200 mg	3-6	2.95	17.70
2. Manganese sulfate	0.1 mg	5-10	0.87	3.48
3. Hydrogen peroxide 3%		0.5-3	0	0
4. 0.9% Normal Saline		250	0.31	77.5
Opt: DMSO 50%	500	15	0.01	0.15
Totals:		**268**		**114**

Est. Treatment time: 1.5-2 hours **Desired drip rate: 2-3 mL/min**
Final osmolarity: 425 mOsm/L

Technical notes:
5 mL or 10 mL 1:500 HCl pushed through IV set "Y" port (circle volume) : Stop drip during push and push at a rate not to exceed 2 mL/minute

(c) IIVNTP 2022

25

Hydrogen Peroxide

Technical notes:

1.Start patient on hydrogen peroxide dose of 0.5-1 ml initially. Increase volume by 0.5-1 ml per treatment until the full dose of 3 ml is obtained. Increase dose only if patient tolerates well with no adverse effects.

2.Do not administer this protocol at a rate that is faster than recommended as adverse effects may occur.

3.Do not add ascorbic acid to this formula, it is not compatible.

4.Optional : DMSO can increase efficacy of this treatment in pulmonary conditions.

(c) IIVNTP 2022

26

Common Protocol (Mycotoxin)

- Mast Cell Support

and/or

- PTC (600-2000 mg)+ Glutathione (600 -2000 mg)

(c) IIVNTP 2022

27

Pediatric Dose Calculation Information for IV Therapy

(c) IIVNTP 2022

28

Dose Adjustments for Pediatrics:

Clark's Rule is a medical term referring to a procedure used to calculate the amount of medicine to give to a child aged 2-17. The procedure is to take the child's weight in pounds, divide by 150lbs, and multiply the fractional result by the adult dose to find the equivalent child dosage.

Pediatric dose = [child's weight (lb) / 150 (lb)] x Adult dose

For example: If an adult dose of medication calls for 30mg and the child weighs 30lbs. Divide the weight by 150 (30/150) to get 1/5. Multiply 1/5 times 30mg to get 6mg. (Or convert the fraction to a decimal and multiply – 0.20 in this case).

Common IV example:

Adult goal dose is 40 mL of drug

Child weighs 25 pounds

[25 lb / 150 lb] x 40 mL

1/6 x 40 mL [convert to a decimal]

0.167 x 40 mL = 6.7 (7) mL dose

(c) IIVNTP 2022

29

IVC Scaling for a 10 Kg Child @ 1.25 G / Kg

Dose Escalation IV #-1 to 4 (Max Dose)

	5 Gm	7.5 Gm	10 Gm	12.5 Gm
D5W	100	100	100	200
C-500	10	15	20	25
CaCl	0.5	1	1	1
MgCl	0.5	1	2	2
KCl	-0-	-0-	-0-	0.5
DMSO	0.5	0.5	0.5	1.0

(c) IIVNTP 2022

30

Nutrient Scaling for Pediatrics:

- The calculation on the prior slide can be used for all additives in an IV, provided that the additive is acceptable for pediatric infusion.

- Such calculations are a guideline and not a hard and fast rule. They will however generally help create an appropriately scaled infusion Rx that is safe for a pediatric patient.

(c) IIVNTP 2022

31

Volume Adjustments:

- In Rehydration a common calculation is 20 mL / Kg body weight.
  - http://emedicine.medscape.com/article/801012-treatment
- In Therapeutic / Hypertonic IV's the volume for a pediatric patient can be calculated based on the following considerations:
  - How close to the 20 mL/Kg is the total volume?
  - Is the solution hypertonic and should the solution volume be increased?
  - Just as in an adult, if headache or other signs of dehydration develop then a following infusion of an isotonic solution may be made at the 20 mL/Kg dose.

This chart is an estimate by weight for isotonic solutions / hydration in a pediatric patient. Therapeutic IV solutions should generally not exceed these volumes.

Kg-Weight	5	10	15	20	25
mL Isotonic Solution	100	200	300	400	500

(c) IIVNTP 2022

32

Thank you !

(c) IIVNTP 2022

33